


# INTERFACE-TERMINAL

## Contenitori multifunzionali per componenti elettronici

L'innovativo INTERFACE-TERMINAL presenta tutte le caratteristiche di una moderna interfaccia uomo-macchina Design elegante.

- L'utilizzatore può scegliere se usare l'apparecchio in modo mobile e/o fisso
- Molto spazio per elementi di comando, display grafici/touch screen (S: 6,4"/16 cm, M: 8,4"/21 cm, L: 10,4"/26 cm)
- A scelta con parte inferiore del contenitore sottile o rialzata per una configurazione di montaggio personalizzata, interfacce, ingressi/uscite dei cavi ecc.
- Coperture frontali opzionali: parte superiore ABS e placca frontale, placca frontale in alluminio, pannello in vetro per touch screen  
su richiesta possibilità di integrazione per tablet
- Grado di protezione IP 54: con guarnizioni (accessori)
- Punti di fissaggio per schede e componenti di montaggio
- Disponibili come gruppi costruttivi per combinazioni individuali:
- **Mobili (1)**
- Disponibile con/senza vano batteria (5 batterie AA) accessibile dall'esterno, incl. dispositivo di protezione da torsione e di inversione dei poli; forma maneggevole dalla linea piacevolmente sottile nella parte dell'impugnatura; avvallamento per le dita sul lato inferiore per una presa sicura
- **Contenitori con stazione di ricarica o supporto da parete piatto (2)**
- Il contenitore si inserisce a scatto per la realizzazione del contatto/la custodia nella base o nel supporto da parete piatto; contatti per una facile trasmissione di dati e di corrente di carica come accessori; custodia dei contenitori nel senso della lunghezza o della larghezza a seconda delle esigenze; la base offre inoltre uno spazio sufficiente per i componenti elettronici
- **Contenitori per applicazioni desk con fissaggio a vite (3)**
- Superficie di comando inclinata di 20° in modo ergonomico; montaggio nel senso della lunghezza o della larghezza; fissaggio a vite non visibile; la base offre molto spazio per connettori, componenti elettronici e cablaggio; posizione sicura degli apparecchi per applicazioni da scrivania grazie ai piedini in gomma
- **Contenitori per applicazioni desk/a parete con arresto a scatto, chiusura tramite dispositivo di bloccaggio a rotazione (4)**
- Eccezionale interfaccia tra componente mobile e fisso; grazie a interfacce predefinite e con arresto a scatto nel contenitore e nella base, il montaggio viene sensibilmente facilitato; la base offre molto spazio per connettori, componenti elettronici, cablaggio ed è facilmente accessibile; montaggio a muro diretto della base; montaggio dell'unità mobile nel senso della lunghezza e della larghezza
- **Contenitori da incasso (5)**
- In caso di esigenze architettoniche particolari o all'interno di edifici storici, i contenitori possono anche essere integrati nella parete o nella placca frontale in maniera armonica; un'ulteriore possibilità è rappresentata dal montaggio in macchine e in impianti; installazione facile grazie al set di montaggio

# INTERFACE-TERMINAL



## Esempi di applicazione

Straordinaria molteplicità d'impiego: mobile – desk – a muro – da incasso. Periferiche e dispositivi interfaccia, ufficio, tecnica di comunicazione, tecnica di sicurezza, biometria, tecnica medica e di laboratorio, wellness, health care, IoT/IIoT, automazione, metrologia/regolazione/comando, ecc.



Device for bioelectrical patient analysis



Process control for plant Management



Self-monitoring emergency call system



Smart Home Console system



Terminal for personnel time recording



Wireless data logger

# INTERFACE-TERMINAL

## Modifiche specifiche del cliente

Che caratteristiche deve avere il vostro prodotto personalizzato? Su richiesta vi forniamo i contenitori e manopole pronti per il montaggio e con tutte le modifiche e le caratteristiche specifiche.

Opzioni prodotto per Interface-Terminal



Lavorazione  
meccanica



Verniciatura



Stampa



Marcatura laser



Pellicole decorative



Materiale speciale



Protezione CEM




Confezionamento /  
montaggio


## Versioni




**B4042407**  
Cover S  
ABS (UL 94 HB)  
off-white RAL 9002  
190x135x14mm



**B4042707**  
Bottom part S flat, version I  
ABS (UL 94 HB)  
off-white RAL 9002  
190x135x24,5mm  
IP 54 opt.



**B4042717**  
Bottom part S flat, version II  
ABS (UL 94 HB)  
off-white RAL 9002  
190x135x24,5mm  
IP 54 opt.



**B4042757**  
Bottom part S high, version I  
ABS (UL 94 HB)  
off-white RAL 9002  
190x135x34,5mm  
IP 54 opt.




**B4042767**  
Bottom part S high, version II  
ABS (UL 94 HB)  
off-white RAL 9002  
190x135x34,5mm  
IP 54 opt.



**B4042827**  
Base S - desk-top -  
ABS (UL 94 HB)  
off-white RAL 9002  
123x123x53mm



**B4042837**  
Base S - charging station, case  
deposit mobile  
ABS (UL 94 HB)  
off-white RAL 9002  
123x123x60mm




**B4042847**  
Base S - desk-top/wall -  
ABS (UL 94 HB)  
off-white RAL 9002  
123x123x53mm


# INTERFACE-TERMINAL



**B4044407**  
Cover M  
ABS (UL 94 HB)  
off-white RAL 9002  
225x165x14mm



**B4044707**  
Bottom part M flat, version I  
ABS (UL 94 HB)  
off-white RAL 9002  
225x165x25,5mm  
IP 54 opt.



**B4044717**  
Bottom part M flat, version II  
ABS (UL 94 HB)  
off-white RAL 9002  
225x165x25,5mm  
IP 54 opt.



**B4044757**  
Bottom part M high, version I  
ABS (UL 94 HB)  
off-white RAL 9002  
225x165x35,5mm  
IP 54 opt.



**B4044767**  
Bottom part M high, version II  
ABS (UL 94 HB)  
off-white RAL 9002  
225x165x35,5mm  
IP 54 opt.



**B4044827**  
Base M - desk-top -  
ABS (UL 94 HB)  
off-white RAL 9002  
153x153x63mm



**B4044837**  
Base M - charging station, case  
deposit mobile  
ABS (UL 94 HB)  
off-white RAL 9002  
153x153x70mm



**B4044847**  
Base M - desk-top/wall -  
ABS (UL 94 HB)  
off-white RAL 9002  
153x153x63mm



**B4046407**  
Cover L  
ABS (UL 94 HB)  
off-white RAL 9002  
275x195x25,5mm



**B4046707**  
Bottom part L flat, version I  
ABS (UL 94 HB)  
off-white RAL 9002  
275x195x26,5mm  
IP 54 opt.



**B4046717**  
Bottom part L flat, version II  
ABS (UL 94 HB)  
off-white RAL 9002  
275x195x26,5mm  
IP 54 opt.



**B4046757**  
Bottom part L high, version I  
ABS (UL 94 HB)  
off-white RAL 9002  
275x195x36,5mm  
IP 54 opt.



**B4046767**  
Bottom part L high, version II  
ABS (UL 94 HB)  
off-white RAL 9002  
275x195x36,5mm  
IP 54 opt.



**B4046827**  
Base L - desk-top -  
ABS (UL 94 HB)  
off-white RAL 9002  
183x183x73mm



**B4046837**  
Base L - charging station, case  
deposit mobile  
ABS (UL 94 HB)  
off-white RAL 9002  
183x183x80mm



**B4046847**  
Base L - desk-top/wall -  
ABS (UL 94 HB)  
off-white RAL 9002  
183x183x73mm

# INTERFACE-TERMINAL



**B4142047**  
Battery compartment and lid S, 5 x AA  
ABS (UL 94 HB)  
off-white RAL 9002




**B4142106**  
Front panel S  
Aluminium  
matt anodised  
186,5x131,5x2mm



**B4142107**  
Front panel S  
ABS (UL 94 HB)  
off-white RAL 9002  
190,6x135,6x14,5mm



**B4142167**  
Bottom panel with handle recess S  
ABS (UL 94 HB)  
off-white RAL 9002



**B4142203**  
Glass panel S  
Glass  
clear  
190,6x135,6x16,7mm



**B4142247**  
Wall suspension element S  
ABS (UL 94 HB)  
off-white RAL 9002



**B4142257**  
Bottom panel with snap-in strips S  
ABS (UL 94 HB)  
off-white RAL 9002



**B4142587**  
Installation assembly kit S, flat  
ABS (UL 94 HB)  
off-white RAL 9002  
234x185mm



**B4142597**  
Installation assembly kit S, high  
ABS (UL 94 HB)  
off-white RAL 9002  
234x185mm



**B4144047**  
Battery compartment and lid M, 5 x AA  
ABS (UL 94 HB)  
off-white RAL 9002




**B4144106**  
Front panel M  
Aluminium  
matt anodised  
221,5x161,5x2mm



**B4144107**  
Front panel M  
ABS (UL 94 HB)  
off-white RAL 9002  
225,6x165,6x15,5mm



**B4144167**  
Bottom panel with handle recess M  
ABS (UL 94 HB)  
off-white RAL 9002



**B4144203**  
Glass panel M  
Glass  
clear  
225,6x165,6x17,7mm




**B4144247**  
Wall suspension element M  
ABS (UL 94 HB)  
off-white RAL 9002




**B4144257**  
Bottom panel with snap-in strips M  
ABS (UL 94 HB)  
off-white RAL 9002

# INTERFACE-TERMINAL



**B4144587**  
 Installation assembly kit M, flat  
 ABS (UL 94 HB)  
 off-white RAL 9002  
 272x218mm



**B4144597**  
 Installation assembly kit M, high  
 ABS (UL 94 HB)  
 off-white RAL 9002  
 272x218mm



**B4146047**  
 Battery compartment and lid L, 5  
 x AA  
 ABS (UL 94 HB)  
 off-white RAL 9002




**B4146106**  
 Front panel L  
 Aluminium  
 matt anodised  
 271,5x191,5x2mm



**B4146107**  
 Front panel L  
 ABS (UL 94 HB)  
 off-white RAL 9002  
 275,6x195,6x15,5mm



**B4146167**  
 Bottom panel with handle recess  
 L  
 ABS (UL 94 HB)  
 off-white RAL 9002




**B4146203**  
 Glass panel L  
 Glass  
 clear  
 275,6x195,6x17,7mm



**B4146247**  
 Wall suspension element L  
 ABS (UL 94 HB)  
 off-white RAL 9002



**B4146257**  
 Bottom panel with snap-in strips  
 L  
 ABS (UL 94 HB)  
 off-white RAL 9002



**B4146587**  
 Installation assembly kit L, flat  
 ABS (UL 94 HB)  
 off-white RAL 9002  
 325x251mm



**B4146597**  
 Installation assembly kit L, high  
 ABS (UL 94 HB)  
 off-white RAL 9002  
 325x251mm

# INTERFACE-TERMINAL

System components to complete



**B4042407**  
Cover S  
ABS (UL 94 HB)  
off-white RAL 9002  
190x135x14mm



**B4042827**  
Base S - desk-top -  
ABS (UL 94 HB)  
off-white RAL 9002  
123x123x53mm



**B4042837**  
Base S - charging station, case  
deposit mobile  
ABS (UL 94 HB)  
off-white RAL 9002  
123x123x60mm



**B4042847**  
Base S - desk-top/wall -  
ABS (UL 94 HB)  
off-white RAL 9002  
123x123x53mm



**B4044407**  
Cover M  
ABS (UL 94 HB)  
off-white RAL 9002  
225x165x14mm



**B4044827**  
Base M - desk-top -  
ABS (UL 94 HB)  
off-white RAL 9002  
153x153x63mm



**B4044837**  
Base M - charging station, case  
deposit mobile  
ABS (UL 94 HB)  
off-white RAL 9002  
153x153x70mm



**B4044847**  
Base M - desk-top/wall -  
ABS (UL 94 HB)  
off-white RAL 9002  
153x153x63mm



**B4046407**  
Cover L  
ABS (UL 94 HB)  
off-white RAL 9002  
275x195x25,5mm



**B4046827**  
Base L - desk-top -  
ABS (UL 94 HB)  
off-white RAL 9002  
183x183x73mm



**B4046837**  
Base L - charging station, case  
deposit mobile  
ABS (UL 94 HB)  
off-white RAL 9002  
183x183x80mm



**B4046847**  
Base L - desk-top/wall -  
ABS (UL 94 HB)  
off-white RAL 9002  
183x183x73mm



**B4142047**  
Battery compartment and lid S, 5  
x AA  
ABS (UL 94 HB)  
off-white RAL 9002



**B4142106**  
Front panel S  
Aluminium  
matt anodised  
186,5x131,5x2mm



**B4142107**  
Front panel S  
ABS (UL 94 HB)  
off-white RAL 9002  
190,6x135,6x14,5mm



**B4142167**  
Bottom panel with handle recess  
S  
ABS (UL 94 HB)  
off-white RAL 9002

# INTERFACE-TERMINAL



**B4142203**  
Glass panel S  
Glass  
clear  
190,6x135,6x16,7mm



**B4142247**  
Wall suspension element S  
ABS (UL 94 HB)  
off-white RAL 9002



**B4142257**  
Bottom panel with snap-in strips  
S  
ABS (UL 94 HB)  
off-white RAL 9002



**B4142587**  
Installation assembly kit S, flat  
ABS (UL 94 HB)  
off-white RAL 9002  
234x185mm



**B4142597**  
Installation assembly kit S, high  
ABS (UL 94 HB)  
off-white RAL 9002  
234x185mm



**B4144047**  
Battery compartment and lid M,  
5 x AA  
ABS (UL 94 HB)  
off-white RAL 9002



**B4144106**  
Front panel M  
Aluminium  
matt anodised  
221,5x161,5x2mm



**B4144107**  
Front panel M  
ABS (UL 94 HB)  
off-white RAL 9002  
225,6x165,6x15,5mm



**B4144167**  
Bottom panel with handle recess  
M  
ABS (UL 94 HB)  
off-white RAL 9002



**B4144203**  
Glass panel M  
Glass  
clear  
225,6x165,6x17,7mm



**B4144247**  
Wall suspension element M  
ABS (UL 94 HB)  
off-white RAL 9002



**B4144257**  
Bottom panel with snap-in strips  
M  
ABS (UL 94 HB)  
off-white RAL 9002



**B4144587**  
Installation assembly kit M, flat  
ABS (UL 94 HB)  
off-white RAL 9002  
272x218mm



**B4144597**  
Installation assembly kit M, high  
ABS (UL 94 HB)  
off-white RAL 9002  
272x218mm



**B4146047**  
Battery compartment and lid L, 5  
x AA  
ABS (UL 94 HB)  
off-white RAL 9002



**B4146106**  
Front panel L  
Aluminium  
matt anodised  
271,5x191,5x2mm


# INTERFACE-TERMINAL



**B4146107**  
Front panel L  
ABS (UL 94 HB)  
off-white RAL 9002  
275,6x195,6x15,5mm



**B4146167**  
Bottom panel with handle recess  
L  
ABS (UL 94 HB)  
off-white RAL 9002




**B4146203**  
Glass panel L  
Glass  
clear  
275,6x195,6x17,7mm



**B4146247**  
Wall suspension element L  
ABS (UL 94 HB)  
off-white RAL 9002



**B4146257**  
Bottom panel with snap-in strips  
L  
ABS (UL 94 HB)  
off-white RAL 9002



**B4146587**  
Installation assembly kit L, flat  
ABS (UL 94 HB)  
off-white RAL 9002  
325x251mm



**B4146597**  
Installation assembly kit L, high  
ABS (UL 94 HB)  
off-white RAL 9002  
325x251mm


## Accessory "protection"




**B4142005**  
Sealing S (bottom part - front  
design)  
TPE



**B4142006**  
Sealing S (bottom part -  
base/bot. panel/bat. comp...)  
TPE




**B4144005**  
Sealing M (bottom part - front  
design)  
TPE



**B4144006**  
Sealing M (bottom part -  
base/bot. panel/bat. comp...)  
TPE



**B4146005**  
Sealing L (bottom part - front  
design)  
TPE




**B4146006**  
Sealing L (bottom part -  
base/bot. panel/bat. comp...)  
TPE

# INTERFACE-TERMINAL

## Accessory



A9178007  
Contacts, male  
gold-plated



A9178008  
Contacts, female  
gold-plated

Salvo modifiche tecniche. © OKW Gehäusesysteme, Buchen/Germania.