


# IN-BOX

## Robusti contenitori industriali

Il programma IN-BOX offre molte opzioni diverse di contenitori per morsetti e componenti elettronici.

- 9 contenitori di base con superficie lucidata a specchio e altezze diverse
- Due materiali standard: ABS (UL 94 HB) oppure PC (V-2); tutti i contenitori della serie in PC soddisfano lo standard di infiammabilità UL 94 5V (migliore di V-0), sebbene il materiale appartenga solo alla categoria V-2
- Contenitori trasparenti alle radiofrequenze
- Elevati gradi di protezione IP 66/67; guarnizione già fissata con espanso nella parte superiore
- Elevata resistenza all'urto IK 07 (ABS), IK08 (PC)
- Parte superiore nel colore del contenitore o trasparente
- Pratica chiusura rapida in acciaio inox
- Superficie di comando incavata a protezione della tastiera a membrana
- Montaggio a muro diretto o fissaggio esterno con linguette per pareti; se necessario è possibile impiegare una cerniera interna
- Set di sicurezza opzionale per proteggere il contenitore dall'accesso non autorizzato
- Guide DIN e piastre di montaggio per una configurazione individuale del montaggio
- Punti di fissaggio integrati per schede, guide DIN, piastre di montaggio e componenti di montaggio



# IN-BOX

## Esempi di applicazione

Predestinati per gli impianti elettrici, ad es. nella tecnica di riscaldamento, condizionamento e ventilazione per apparecchi di controllo e di monitoraggio, nella realizzazione di sistemi di controllo e di impianti, dei sistemi di sicurezza ecc. Ma utilizzabili anche in ambito elettronico, ad es. per strumenti di misura digitali o analogici, sensori, come contenitori per interfacce, dispositivi di allarme, ecc. Smart Factory / Industrie 4.0



Chicken Door



Monitoring with temperature sensor



Multiple data acquisition



Sensor box for system monitoring



Vibration meter for centrifuges

## Modifiche specifiche del cliente

Che caratteristiche deve avere il vostro prodotto personalizzato? Su richiesta vi forniamo i contenitori e manopole pronti per il montaggio e con tutte le modifiche e le caratteristiche specifiche. Opzioni prodotto per In-Box



Lavorazione meccanica



Stampa



Marcatura laser



Pellicole decorative



Protezione CEM



Confezionamento / montaggio

# IN-BOX

## Versioni



**C7008011**  
IN-BOX  
ABS (UL 94 HB)  
light grey RAL 7035  
84x82x55mm  
IP 66, IP 67, IK 07



**C7008012**  
IN-BOX  
PC  
light grey RAL 7035  
84x82x55mm  
IP 66, IP 67, IK 08



**C7008014**  
IN-BOX  
ABS/PC (UL 94 HB)  
light grey RAL 7035  
84x82x55mm  
IP 66, IP 67, IK 07



**C7008015**  
IN-BOX  
PC  
light grey RAL 7035  
84x82x55mm  
IP 66, IP 67, IK 08



**C7008021**  
IN-BOX  
ABS (UL 94 HB)  
light grey RAL 7035  
84x82x85mm  
IP 66, IP 67, IK 07



**C7008024**  
IN-BOX  
ABS/PC (UL 94 HB)  
light grey RAL 7035  
84x82x85mm  
IP 66, IP 67, IK 07



**C7008025**  
IN-BOX  
PC  
light grey RAL 7035  
84x82x85mm  
IP 66, IP 67, IK 08



**C7012011**  
IN-BOX  
ABS (UL 94 HB)  
light grey RAL 7035  
122x82x55mm  
IP 66, IP 67, IK 07



**C7012012**  
IN-BOX  
PC  
light grey RAL 7035  
122x82x55mm  
IP 66, IP 67, IK 08



**C7012014**  
IN-BOX  
ABS/PC (UL 94 HB)  
light grey RAL 7035  
122x82x55mm  
IP 66, IP 67, IK 07



**C7012015**  
IN-BOX  
PC  
light grey RAL 7035  
122x82x55mm  
IP 66, IP 67, IK 08



**C7012021**  
IN-BOX  
ABS (UL 94 HB)  
light grey RAL 7035  
122x82x85mm  
IP 66, IP 67, IK 07



**C7012024**  
IN-BOX  
ABS/PC (UL 94 HB)  
light grey RAL 7035  
122x82x85mm  
IP 66, IP 67, IK 07



**C7012025**  
IN-BOX  
PC  
light grey RAL 7035  
122x82x85mm  
IP 66, IP 67, IK 08



**C7013031**  
IN-BOX  
ABS (UL 94 HB)  
light grey RAL 7035  
124x122x55mm  
IP 66, IP 67, IK 07



**C7013032**  
IN-BOX  
PC  
light grey RAL 7035  
124x122x55mm  
IP 66, IP 67, IK 08

# IN-BOX



**C7013034**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 light grey RAL 7035  
 124x122x55mm  
 IP 66, IP 67, IK 07



**C7013035**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 124x122x55mm  
 IP 66, IP 67, IK 08



**C7013051**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 124x122x85mm  
 IP 66, IP 67, IK 07



**C7013054**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 light grey RAL 7035  
 124x122x85mm  
 IP 66, IP 67, IK 07



**C7013055**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 124x122x85mm  
 IP 66, IP 67, IK 08



**C7016011**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 162x82x55mm  
 IP 66, IP 67, IK 07



**C7016012**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 162x82x55mm  
 IP 66, IP 67, IK 08



**C7016014**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 light grey RAL 7035  
 162x82x55mm  
 IP 66, IP 67, IK 07



**C7016015**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 162x82x55mm  
 IP 66, IP 67, IK 08



**C7016021**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 162x82x85mm  
 IP 66, IP 67, IK 07



**C7016024**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 light grey RAL 7035  
 162x82x85mm  
 IP 66, IP 67, IK 07



**C7016025**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 162x82x85mm  
 IP 66, IP 67, IK 08



**C7016061**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 162x122x90mm  
 IP 66, IP 67, IK 07



**C7016062**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 162x122x90mm  
 IP 66, IP 67, IK 08



**C7016064**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 light grey RAL 7035  
 162x122x90mm  
 IP 66, IP 67, IK 07



**C7016065**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 162x122x90mm  
 IP 66, IP 67, IK 08

# IN-BOX



**C7020041**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 202x122x75mm  
 IP 66, IP 67, IK 07



**C7020042**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 202x122x75mm  
 IP 66, IP 67, IK 08



**C7020044**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 transparent  
 202x122x75mm  
 IP 66, IP 67, IK 07



**C7020045**  
 IN-BOX  
 PC  
 transparent  
 202x122x75mm  
 IP 66, IP 67, IK 08



**C7020061**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 202x122x90mm  
 IP 66, IP 67, IK 07



**C7020064**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 light grey RAL 7035  
 202x122x90mm  
 IP 66, IP 67, IK 07



**C7020065**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 202x122x90mm  
 IP 66, IP 67, IK 08



**C7021071**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 202x152x90mm  
 IP 66, IP 67, IK 07



**C7021072**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 202x152x90mm  
 IP 66, IP 67, IK 08



**C7021074**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 light grey RAL 7035  
 202x152x90mm  
 IP 66, IP 67, IK 07



**C7021075**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 202x152x90mm  
 IP 66, IP 67, IK 08



**C7025081**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 252x162x90mm  
 IP 66, IP 67, IK 07



**C7025082**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 252x162x90mm  
 IP 66, IP 67, IK 08



**C7025084**  
 IN-BOX  
 ABS/PC (UL 94 HB)  
 light grey RAL 7035  
 252x162x90mm  
 IP 66, IP 67, IK 07



**C7025085**  
 IN-BOX  
 PC  
 light grey RAL 7035  
 252x162x90mm  
 IP 66, IP 67, IK 08



**C7025091**  
 IN-BOX  
 ABS (UL 94 HB)  
 light grey RAL 7035  
 252x162x120mm  
 IP 66, IP 67, IK 07

# IN-BOX



**C7025094**  
IN-BOX  
ABS/PC (UL 94 HB)  
light grey RAL 7035  
252x162x120mm  
IP 66, IP 67, IK 07



**C7025095**  
IN-BOX  
PC  
light grey RAL 7035  
252x162x120mm  
IP 66, IP 67, IK 08



**C7030101**  
IN-BOX  
ABS (UL 94 HB)  
light grey RAL 7035  
302x232x90mm  
IP 66, IP 67, IK 07



**C7030102**  
IN-BOX  
PC  
light grey RAL 7035  
302x232x90mm  
IP 66, IP 67, IK 08



**C7030104**  
IN-BOX  
ABS/PC (UL 94 HB)  
light grey RAL 7035  
302x232x90mm  
IP 66, IP 67, IK 07



**C7030105**  
IN-BOX  
PC  
light grey RAL 7035  
302x232x90mm  
IP 66, IP 67, IK 08



**C7030111**  
IN-BOX  
ABS (UL 94 HB)  
light grey RAL 7035  
302x232x110mm  
IP 66, IP 67, IK 07



**C7030112**  
IN-BOX  
PC  
light grey RAL 7035  
302x232x110mm  
IP 66, IP 67, IK 08



**C7030114**  
IN-BOX  
ABS/PC (UL 94 HB)  
light grey RAL 7035  
302x232x110mm  
IP 66, IP 67, IK 07



**C7030115**  
IN-BOX  
PC  
light grey RAL 7035  
302x232x110mm  
IP 66, IP 67, IK 08



**C7110056**  
Mounting plate

73x53x2,5mm



**C7110077**  
Standard DIN rail, Type TH 35  
Steel

66x35x7,5mm



**C7110087**  
Standard DIN rail, Type TH 15  
Steel

66x15x5,5mm



**C7111056**  
Mounting plate

91x73x2,5mm



**C7111077**  
Standard DIN rail, Type TH 35  
Steel

104x35x7,5mm



**C7111087**  
Standard DIN rail, Type TH 15  
Steel

104x15x5,5mm

# IN-BOX




**C7112056**  
Mounting plate

113x93x2,5mm



**C7112077**  
Standard DIN rail, Type TH 35  
Steel

108x35x7,5mm



**C7112087**  
Standard DIN rail, Type TH 15  
Steel

108x15x5,5mm



**C7113056**  
Mounting plate

131x73x2,5mm



**C7113077**  
Standard DIN rail, Type TH 35  
Steel

144x35x7,5mm



**C7113087**  
Standard DIN rail, Type TH 15  
Steel

144x15x5,5mm



**C7114056**  
Mounting plate

131x113x2,5mm



**C7115056**  
Mounting plate

171x113x2,5mm



**C7115077**  
Standard DIN rail, Type TH 35  
Steel

184x35x7,5mm



**C7115087**  
Standard DIN rail, Type TH 15  
Steel

184x15x5,5mm



**C7116056**  
Mounting plate

171x143x2,5mm




**C7116077**  
Standard DIN rail, Type TH 35  
Steel

168x35x7,5mm



**C7116087**  
Standard DIN rail, Type TH 15  
Steel

168x15x5,5mm



**C7117056**  
Mounting plate

220,5x152,5x2,5mm



**C7117077**  
Standard DIN rail, Type TH 35  
Steel

220x35x7,5mm



**C7117087**  
Standard DIN rail, Type TH 15  
Steel

220x15x5,5mm

# IN-BOX



**C7118056**  
Mounting plate

270,5x222,5x2,5mm



**C7118077**  
Standard DIN rail, Type TH 35  
Steel

283,5x35x7,5mm



**C7118087**  
Standard DIN rail, Type TH 15  
Steel

283,5x15x5,5mm

## Accessory "protection"



**C2306917**  
Pressure equalisation element  
M6x0.75  
PA 6 (UL 94 HB)  
light grey RAL 7035  
IP 56



**C2310917**  
Pressure equalisation element  
M10x1  
PA 6 (UL 94 HB)  
light grey RAL 7035  
IP 56



**C2320137**  
Cable grommet  
EPDM  
light grey RAL 7035  
IP 67



**C7100128**  
Security kit  
PP



**C7100138**  
Security kit  
PP

## Accessory "wall/holder"



**C7100092**  
Wall-mounting brackets  
PC GF15



**C7100142**  
Inside hinge  
PC

# IN-BOX

## Accessory "screws"



**C7100167**  
Screw 3.9 x 9 mm

## Accessory



**C7110056**  
Mounting plate  
73x53x2,5mm



**C7110077**  
Standard DIN rail, Type TH 35  
Steel  
66x35x7,5mm



**C7110087**  
Standard DIN rail, Type TH 15  
Steel  
66x15x5,5mm



**C7111056**  
Mounting plate  
91x73x2,5mm



**C7111077**  
Standard DIN rail, Type TH 35  
Steel  
104x35x7,5mm



**C7111087**  
Standard DIN rail, Type TH 15  
Steel  
104x15x5,5mm



**C7112056**  
Mounting plate  
113x93x2,5mm



**C7112077**  
Standard DIN rail, Type TH 35  
Steel  
108x35x7,5mm



**C7112087**  
Standard DIN rail, Type TH 15  
Steel  
108x15x5,5mm



**C7113056**  
Mounting plate  
131x73x2,5mm



**C7113077**  
Standard DIN rail, Type TH 35  
Steel  
144x35x7,5mm



**C7113087**  
Standard DIN rail, Type TH 15  
Steel  
144x15x5,5mm

# IN-BOX



**C7114056**  
 Mounting plate  
 131x113x2,5mm



**C7115056**  
 Mounting plate  
 171x113x2,5mm



**C7115077**  
 Standard DIN rail, Type TH 35  
 Steel  
 184x35x7,5mm



**C7115087**  
 Standard DIN rail, Type TH 15  
 Steel  
 184x15x5,5mm



**C7116056**  
 Mounting plate  
 171x143x2,5mm




**C7116077**  
 Standard DIN rail, Type TH 35  
 Steel  
 168x35x7,5mm




**C7116087**  
 Standard DIN rail, Type TH 15  
 Steel  
 168x15x5,5mm




**C7117056**  
 Mounting plate  
 220,5x152,5x2,5mm



**C7117077**  
 Standard DIN rail, Type TH 35  
 Steel  
 220x35x7,5mm



**C7117087**  
 Standard DIN rail, Type TH 15  
 Steel  
 220x15x5,5mm



**C7118056**  
 Mounting plate  
 270,5x222,5x2,5mm



**C7118077**  
 Standard DIN rail, Type TH 35  
 Steel  
 283,5x35x7,5mm



**C7118087**  
 Standard DIN rail, Type TH 15  
 Steel  
 283,5x15x5,5mm

Salvo modifiche tecniche. © OKW Gehäusesysteme, Buchen/Germania.